BARTHOLOMEW COUNTY: Key Data Points

- Bartholomew County's birth rate for "other" race (non-white, non-black) ranks higher than the overall state of Indiana's birth rate for "other" race, 16.7 versus 14.0 respectively.
- More mothers are utilizing prenatal care during the 1st trimester of pregnancy compared to the state of Indiana, 84.8% versus 80.6% respectively.
- More black mothers are breastfeeding on discharge in Bartholomew county compared to black mothers overall in the state of Indiana, 78.6% versus 42.6% respectively
- Bartholomew county observed 23 accidental deaths (11 of which were motor vehicle), 6 suicidal deaths, and 2 homicide

Note: All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

Figure 1: Births

	То	tal	Wh	ite	Bla	ıck	Oth	ner
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Bartholomew County	1,047	14.3	986	14.3	20	14.1	41	16.7
INDIANA	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2: Infant Mortality

								-
			NUI	MBER			RATE*	
			Infant	Neonatal	Post	Infant	Neonatal	Post
	DEBORTER		Deaths	Deaths	Neonatal	Deaths	Deaths	Neonatal
COUNTY OF RESIDENCE	REPORTED RACE/ ETHNICITY	Live Births	(< 1 yr)	(< 28 days)	Deaths	(< 1 yr)	(< 28 days)	Deaths (28-364
BARTHOLOMEW		1,047	8	8	(28-364 days) 0	**	**	days) 0.0
	White	986	6	6	0	**	**	0.0
	Black	20	1	1	0	**	**	0.0
	Other	41	1	1	0	**	**	0.0
	Hispanic	97	3	3	0	**	**	0.0
INDIANA	All Races	87,125	702	472	230	8.1	5.4	2.6
	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3: Outcome Indicators of Mother, by Race


		Birth V	Veight			During P	regnancy	
BARTHOLOMEW COUNTY	Total Births	% Low (< 2500 grams)	% Very Low (< 1500 grams)	% .	% PNC 1st	% Alcohol	% Smoked	% Unmarried Parents
White	986	6.8	1.6	7.1	79.7	0.1	17.3	37.6
Black	20	15.0	10.0	15.0	80.0	0.0	35.0	65.0
All Races	1,047	7.0	1.8	7.3	80.0	0.2	17.0	36.8


Birth Weight			-	During Pregnancy				
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	†	Trimester [‡]	Alcohol	Smoked	Parents
All Races	87,125	8.1	1.5	10.2	79.3	0.6	18.0	38.8
White	75,680	7.4	1.3	9.9	80.8	0.6	18.8	34.4
Black	9,582	13.7	3.0	13.9	67.1	0.9	14.4	77.9


[†] Preterm: less than 37 weeks gestation

Figure 4: Breastfeeding

BARTHOLOMEW	AII		
COUNTY	Races	White	Black
Total Births	1,047	986	20
Breastfeeding on Discharge	682	636	10
% Breastfeeding on Discharge	65.1	64.5	50.0







[‡] PNC: Prenatal Care

^{&#}x27;S' Significantly different than the state percent

^{&#}x27;**' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5: HIV/AIDS

	Total # of AIDS cases reported since 1982	Total # of HIV cases reported since 1985
BARTHOLOMEW	57	23
COUNTY		
INDIANA	7,989	3,945

^{*}numbers current through June 2006

Figure 6: Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agency: Bartholomew County Health Department Counties Included: Bartholomew								
Counties Inc			mew cears of Ag	0			%	
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency	
Overweight	18	1	6	0	1	26	4.0 %	
At Risk for becoming Overweight	21	1	7	0	2	31	4.8%	
	Local Agency: State Wide Counties Included: All Children 1-5 years of Age %							
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency	
Overweight	1,732	445	800	12	97	3,086	4.8%	
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%	

Priority Benchmarks (Bartholomey	v & Indiana)	
Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Bartholomew	Indiana
% of Population enrolled in Medicaid as of June 2003	10.9	12.4
% of Population in Food Stamps Program, 2005	7.1	9.0
Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Bartholomew	Indiana
Av Total Infant Death Rate (1995-2004)	7.3	7.9
Average Fetal Death Rate (1995-2004)	5.1	6.6
Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Bartholomew	Indiana
Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2006)	No Score	NA
% PNC 1st Trimester†, 2004	80.0	79.3
Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Bartholomew	Indiana
Prevalence of Asthma in a Medicaid Cohort of Children age 0- 17 years, 2003	11.9	10.4
%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
Priority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Bartholomew	Indiana
% of mothers Smoked During Pregnancy, 2004	17.0	18.0
% of Adult Smoking in 2003	28.5	29.3
Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Bartholomew	Indiana
Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	11	771
Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	1168.99	1602.35
Priority #8 (obesity): Obesity in pregnant women	Bartholomew	Indiana
Number of Obese Pregnant Women In Indiana, 2004	31	2,827
Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Bartholomew	Indiana
Child deaths due to Injury 1-14yrs (2002-2004)	4	279
Child Abuse and Neglect per 1,000 Population under age 18, 2004	10	13.5
Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Bartholomew	Indiana
% of Hispanic Population of any Race, 2005	3.5	4.5
Low Birth Weight Disparity Ratio (B/W) (1995-2004)	1.53	1.88

Source: Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and

Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.